

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT

MSDS DATE: 04/01/11

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Ocean Breeze Scent Metered Aerosol Air Freshener  
PRODUCT CODES: 325B  
MANUFACTURED FOR: Impact Products, LLC  
ADDRESS: 2840 Centennial Road, Toledo, OH 43617  
EMERGENCY PHONE: 800-535-5053  
CHEMTREC PHONE:  
CHEMICAL NAME:  
CHEMICAL FAMILY: Aerosol  
CHEMICAL FORMULA:

## SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT:</u>	<u>CAS NO.</u>	<u>TLV/TWA</u>	<u>Sara</u> <u>302/304(1)* 313(2)*</u>	<u>State</u> <u>INFO (3)(4)</u>	<u>CERCLA RQ</u>
Acetone	67-64-1	750 ppm/500 ppm	NO	NO	5000 lbs
Propane	74-98-6	1000 ppm	NO	NO	NO
N-Propane	106-97-8	800 ppm	NO	NO	NO

## SECTION 3: HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:** DANGER. Flammable. Harmful or fatal if swallowed. Aspiration hazard. Contents under pressure. Keep away from heat and flame. Do not puncture or incinerate container.

**ROUTES OF ENTRY:** Skin contact, inhalation

**SIGNS/SYMPTOMS OF OVEREXPOSURE:** Signs and symptoms of overexposure to this material through breathing, ingestion or skin contact/absorption may include: Stomach or intestinal upset (nausea, vomiting or diarrhea), irritation (nose, throat, airways).

**EYES:** May cause mild eye irritation. Symptoms include stinging, tearing and redness.

**SKIN:** May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying of skin and skin burns.

**INGESTION:** Harmful or fatal if swallowed. Aspiration hazard – this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

**INHALATION:** High vapor/aerosol concentrations (>1000pp) are irritating to the eyes and respiratory tract. May cause headaches, dizziness, anesthesia, drowsiness, unconsciousness and other central nervous system effects.

**ACUTE/CHRONIC HEALTH HAZARDS:** Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage.

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** None Known

**CARCINOGENICITY INFORMATION** – This material is not listed as a carcinogen by IARC, NTP or OSHA.

## SECTION 4: FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

**SKIN:** Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately.

**INGESTION:** Seek medical attention immediately. Aspiration hazard: Do not induce vomiting or give anything by mouth because this material can enter the lungs and cause severe lung damage. Do not leave individual unattended.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

## SECTION 5: FIRE-FIGHTING MEASURES

**FLAMMABLE LIMITS:** LEL: N/A UEL: N/A  
**FLASH POINT:** 0°F (TCC Method)  
**FLAME EXTENSION:** >18", No Flashback  
**METHOD USED:**  
**HAZARD CLASSIFICATION:** HEALTH: 1 FLAMMABILITY: 4 REACTIVITY: 0  
**EXTINGUISHING MEDIA:** Dry chemical, CO2 or foam is recommended.  
**SPECIAL FIRE FIGHTING PROCEDURES:** CAUTION. Contents under pressure. Cool exposed containers with water spray to prevent bursting. SCBA should be used whenever chemical fires are present.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**ACCIDENTAL RELEASE MEASURES:** Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or